MSI

Making Dream Surfaces Attainable

CABINETRY

Trends Collection
Specification Guide

TRENDS

UNIQUE, CLEAN, & SIMPLISTIC

Trends is a full overlay framed cabinetry line that redefines luxury and functionality. With our commitment to excellence, Trends completes the circle providing a true traditional style of cabinets to s elect from.

We know your kitchen is the heart of your home, so we take pride when we say that we are not in the kitchen cabinet business; we are in the business of creating memories that are as timeless as our products.

MSI
Making Dream Surfaces Attainable

CABINETRY

Traditional & Contemporary Aesthetic

Using full overlay doors that cover the entire framed fac e of the cabinet provides a clean seamless and sleek appearance. This design combination additionally creates a traditional and contemporary look that is both elegant and timeless. Select from 4door finishes options to customize your space

Cabinet Construction





1. Metal bracket reinforced base cabinetry
2. 1/2" thick cabinet grade plywood box
3. Steel concealed soft-close drawer glides
4. UV-coated natural interiors
5. 3/4" adjustable plywood shelves
6. 5-piece wood drawer front construction
7. Dovetail drawers with 5/8" thick solid wood side
8. 3/4" full overlay solid birch doors
9. 6-way adjustable concealed soft close hinges
10. 4 1/2" high, 1/2 thick plywood toe kick

Base Cabinets

Standard Base Cabinet Sizes:

Base cabinets are available in a range of standard sizes to fit most design needs:


Dimension	Standard Range
Height	34-1/2" (without countertop)
Depth	24" (standard)
Width	9" to 42", increasing in 3" increments

How to Read Base Cabinet Codes?

Base cabinet model codes are typically structured to reflect the cabinet type and dimensions.

Here's a quick guide to interpreting them: Example: B36

- B = Base Cabinet
- 36 = Cabinet width in inches




Common Prefixes:

- B: Standard Base Cabinet
- 3DB: Drawer Base & 3 represents # of drawers.
- SB: Sink Base
- BBC: Blind Base Corner
- LSB: Lazy Susan Base
- BP: Base Panel
- BFH: Base Full Height
- BTB: Base Trash Bin

MSI
Making Dream Surfaces Attainable


BASE CABINETS

Base Cabinet




B12 / CABB12W
B15 / CABB15W
B18 / CABB18W
B21 / CABB21W

Base Cabinet




B24 / CABB24W
B27 / CABB27W

Base Cabinet




B30 / CABB30W
B33 / CABB33W
B36 / CABB36W
B42 / CABB42W

3 Drawer Base




3DB12 / CAB3DB12W
3DB15 / CAB3DB15W
3DB18 / CAB3DB18W
3DB21 / CAB3DB21W
3DB24 / CAB3DB24W
3DB27 / CAB3DB27W
3DB30 / CAB3DB30W
3DB36 / CAB3DB36W

Sink Base



SB30 / CABSB30W
SB33 / CABSB33W
SB36 / CABSB36W
SB42 / CABSB42W

2 Drawer Base




2DB24 / CAB2DB24W
2DB30 / CAB2DB30W
2DB36 / CAB2DB36W

MSI
Making Dream Surfaces Attainable


BASE CABINETS

Base Full Height




B09FH / CABB09FHW

Base Full Height




B24FHD / CABB24FHDW

Farm Sink Base




FSB30 / CABFSB30W
FSB36 / CABFSB36W

Diagonal Sink Base




DSB36 / CABDSB36W

Base Blind Corner R/L



BBC36R / CABBBC36RW
BBC42R / CABBBC42RW

Base Lazy Susan




BLS33 / CABBLS33W
BLS36 / CABBLS36W

* Shown door on right

MSI
Making Dream Surfaces Attainable


BASE CABINETS

Microwave Drawer Base




MB30 / CABMB30W

Base Angle End Cabinet




BAE24 / CABBAE24W

Spice Pull Out




B09SR / CABB09SRW

Spice Drawer Base



DB06SR / CABDB06SRW

Trash / Waste Bin Cabinet



Cabinet:
BTB18 / CABBTB18W
BTB21 / CABBTB21W

Waste Bin:
TRBIN / CABTRBIN

* Bin Sold Separately

Tall Cabinets

Tall cabinets, often referred to as pantry or utility cabinets and oven cabinets, provide generous vertical storage space that complements base and wall cabinets.

Standard Base Cabinet Sizes:

Tall cabinets come in various standard sizes to fit most ceiling heights and storage requirements:

Dimension	Standard Range
Height	84", 90", 96"(to suit different ceiling heights)
Depth	24" (standard)
Width	18“, 24”, 30”

How to Read Tall Cabinet Codes?

Tall cabinet codes are typically structured to indicate the cabinet type and dimensions.

Here's a quick guide to interpreting them: Example: T249024

- T = Base Cabinet
- 24 = Cabinet width in inches
- 90 = Cabinet height in inches
- 24 = Cabinet depth in inches


Common Prefixes:

- PC: Pantry Cabinet
- OC: Oven Cabinet


MSI
Making Dream Surfaces Attainable

TALL CABINETS

Pantry Cabinet



PC188424 / CABPC188424W
PC189024 / CABPC189024W
PC189624 / CABPC189624W




PC248424 / CABPC248424W
PC249024 / CABPC249024W
PC249624 / CABPC249624W

PC308424 / CABPC308424W
PC309024 / CABPC309024W
PC309624 / CABPC309624W

MSI
Making Dream Surfaces Attainable

TALL CABINETS

Oven Cabinet



OC338424 / CABOC338424W
OC339024 / CABOC339024W
OC339624 / CABOC339624W

*Opening is 30” Wide by 28 ½” High for all sizes

Wall Cabinets

Standard Wall Cabinet Sizes:

Wall cabinets are available in a wide range of standard sizes to suit different ceiling heights and design needs:


Dimension	Standard Range
Height	12", 15", 18", 24", 30", 36", 42"
Depth	12" (standard), 24" used over appliances
Width	9" to 42", increasing in 3" increments

How to Read Wall Cabinet Codes?

Wall cabinet model codes typically include a type prefix and dimensions, expressed in width x height.

Here's a quick guide to interpreting them: Example: W3630

- W = Wall Cabinet
- 36 = Width in inches
- 30 = Height in inches




Common Prefixes:

- W: Standard Wall Cabinet
- WBC: Wall Blind Corner Cabinet
- WDC: Wall Diagonal Corner
- WMC: Wall Microwave Cabinet
- WER: Wall Easy Reach
- GD: Wall Glass Door

MSI
Making Dream Surfaces Attainable


WALL CABINETS

Wall Cabinets – 12” High




W3012 / CABW3012W
W3312 / CABW3312W
W3612 / CABW3612W

Wall Cabinets – 15” High




W1515 / CABW1515W
W1815 / CABW1815W
W2115 / CABW2115W

Wall Cabinets – 15” High




W2415 / CABW2415W
W2715 / CABW2715W
W3015 / CABW3015W
W3315 / CABW3315W
W3615 / CABW3615W

Wall Cabinets – 18” High




W2418 / CABW2418W
W3018 / CABW3018W
W3318 / CABW3318W
W3618 / CABW3618W

Wall Cabinets – 21” High



W2421 / CABW2421W
W3021 / CABW3021W
W3321 / CABW3321W
W3621 / CABW3621W

Wall Cabinets – 24” High




W2424 / CABW2424W
W3024 / CABW3024W
W3324 / CABW3324W
W3624 / CABW3624W

MSI
Making Dream Surfaces Attainable


WALL CABINETS

Wall Cabinets – 30” High




W0930 / CABW0930W
W1230 / CABW1230W
W1530 / CABW1530W
W1830 / CABW1830W
W2130 / CABW2130W

Wall Cabinets – 30” High




W2430 / CABW2430W
W2730 / CABW2730W
W3030 / CABW3030W
W3330 / CABW3330W
W3630 / CABW3630W
W4230 / CABW4230W

Wall Cabinets – 36” High



W0936 / CABW0936W
W1236 / CABW1236W
W1536 / CABW1536W
W1836 / CABW1836W
W2136 / CABW2136W

Wall Cabinets – 36” High




W2436 / CABW2436W
W2736 / CABW2736W
W3036 / CABW3036W
W3336 / CABW3336W
W3636 / CABW3636W
W4236 / CABW4236W

Wall Cabinets – 42” High



W0942 / CABW0942W
W1242 / CABW1242W
W1542 / CABW1542W
W1842 / CABW1842W
W2142 / CABW2142W

Wall Cabinets – 42” High




W2442 / CABW2442W
W2742 / CABW2742W
W3042 / CABW3042W
W3342 / CABW3342W
W3642 / CABW3642W
W4242 / CABW4242W

MSI
Making Dream Surfaces Attainable

WALL CABINETS


Wall Cabinets

Ref. Wall Cabinets



W302424 / CABW302424W
W362424 / CABW362424W
W301824 / CABW301824W
W361824 / CABW361824W
W301524 / CABW301524W
W361524 / CABW361524W
W301224 / CABW301224W
W361224 / CABW361224W

Wall Blind Corner R/L – 30" 36 " High



WBC2430R /CABWBC2430RW
WBC2436R /CABWBC2436RW
WBC2430L /CABWBC2430LW
WBC2436L /CABWBC2436LW

*Shown door on right


Wall Blind Corner R/L – 42" High



WBC2442L /CABWBC2442LW
WBC2442R /CABWBC2442RW


*Shown door on right

Wall Diagonal Cabinets – 30''- 42" High




WDC2442 / CABWDC2442W
WDC2430 / CABWDC2430W
WDC2436 / CABWDC2436W


Wall End shelf – 30''- 42" High



WES0930 / CABWES0930W
WES0936 / CABWES0936W
WES0942 / CABWES0942W

Wine Rack






WRC3015 / CABWRC3015W
WXC1818 / CABWXC1818W

MSI
Making Dream Surfaces Attainable


WALL CABINETS

Angle Wall Cabinet



WAE1230 / CABWAE1230W
WAE1236 / CABWAE1236W
WAE1242 / CABWAE1242W


Glass Door:



W1530GD / CABGDW1530W
W1830GD / CABGDW1830W
W1536GD / CABGDW1536W
W1836GD / CABGDW1836W
W1542GD / CABGDW1542W
W1842GD / CABGDW1842W

*Glass Door Only


WDC Glass Door:



WDC2430GD / CABGDWDC2430W
WDC2436GD / CABGDWDC2436W
WDC2442GD / CABGDWDC2442W


*Glass Door Only

Wall Easy Reach



WER2430 / CABWER2430W
WER2436 / CABWER2436W
WER2442 / CABWER2442W

Microwave Wall



WMC2730 / CABWMC2730W
WMC2736 / CABWMC2736W
WMC2742 / CABWMC2742W

BATH VANITY

Standard Vanity Base Cabinet Sizes:

Vanity base cabinets follow standard sizing tailored for bathroom use:

Dimension	Standard Range
Height	34 ½" (w/o countertop)
Depth	21" (standard)
Width	12" to 48", typically in 3" increments

How to Read Vanity Base Cabinet Codes?

Vanity base cabinet codes typically include the cabinet type and dimension, often reflecting width.

Example: VSB30

- VSB = Vanity Sink Base
- 30 = Width in inches


Common Prefixes:

- VB: Vanity Base with 1drawer
- VSB: Vanity Sink Base
- VSDB: Vanity Sink Drawer Base
- VDB-3: Vanity Drawer Base, 3 refers to # of drawers
- LC: Linen Cabinet

MSI
Making Dream Surfaces Attainable


VANITY

Vanity Sink Base



VSB24 / CABVSB24W
VSB27 / CABVSB27W
VSB30 / CABVSB30W
VSB36 / CABVSB36W


Vanity Drawer Sink Base



VSDB30L / CABVSDB30LW
VSDB30R / CABVSDB30RW
VSDB36L / CABVSDB36LW
VSDB36R / CABVSDB36RW


*Shown drawer on right

Vanity – 3 Drawer Base




VDB12-3 / CABVDB12-3W
VDB15-3 / CABVDB15-3W
VDB18-3 / CABVDB18-3W
VDB21-3 / CABVDB21-3W
VDB24-3 / CABVDB24-3W

Vanity Drawer Sink base – 42”




VSDB42 / CABVSDB42W

Vanity Base



VB15 / CABVB15W
VB12 / CABVB12W

Vanity Drawer Sink base – 48”




VSDB48 / CABVSDB48W

MSI
Making Dream Surfaces Attainable


VANITY

Linen Cabinets 188421



LC188421 /
CABLC188421W

Vanity Countertop Linen Cabinet



DV1245 / CABVD1245W

ACCESSORIES

Find everything needed to complete the final touches of any job.

- Fillers
- Back panels
- Deco End panels
- Moldings
- Toe Kick
- Valance

Accessories item sku's will differ greatly depending on the type of item. It is important to review all measurements or notes per item ordered to ensure you are getting the correct item based on job needs.

MSI
Making Dream Surfaces Attainable

ACCESSORIES

Fillers & Panels

Wall Filler's – 3"




WF330 / CABAWF330W
WF336 / CABAWF336W
WF342 / CABAWF342W

Base Filler's




BF3 / CABABF3W
BF6 / CABABF6W

Wall Filler's – 6"




WF630 / CABAWF630W
WF636 / CABAWF636W
WF642 / CABAWF642W

Dishwasher Return Panel




DWR3 / CABADWR3W
DWR6 / CABADWR6W

Ref. Panel w Return



REF2496-1.5 /
CABAREF2496-1.5W

Ref. Panel




REP9630 /
CABAREP9630W

MSI
Making Dream Surfaces Attainable

ACCESSORIES


Fillers & Panels

Tall Filler's – 3" 6"




TF396 / CABATF396W
TF696 / CABATF696W

Base End Deco Panel




BEDP / CABABEDPW

Back Panel




BP4896 / CABABP4896W

Wall End Deco Panel




WEDP1230 / CABAWEDP1230W
WEDP1236 / CABAWEDP1236W
WEDP1242 / CABAWEDP1242W

Stem Glass Holder



SGH30 / CABASGH30

Tall End Deco Panel




TEDP2484 / CABATEDP2484W
TEDP2490 / CABATEDP2490W
TEDP2496 / CABATEDP2496W

MSI
Making Dream Surfaces Attainable

ACCESSORIES


Moldings

Scribe Molding




SM8 / CABASM8W

Light Rail Molding




LRM8 / CABALRM8W

Outside Corner




OCM8 / CABAOCM8W

Toe Kick



TK8 / CABATK8W

Arch Valance




VAL30 / CABAVAL30W
VAL36 / CABAVAL36W
VAL42 / CABAVAL42W
VAL48 / CABAVAL48W

MSI
Making Dream Surfaces Attainable

ACCESSORIES


Moldings

Quarter Round Molding




QR8 / CABAQR8W

Base Molding




BM8 / CABABM8W

Batten Molding




BAM / CABABAMW

Cove Molding



COV / CABACOVW

Turn Post




Post / CABAPOSTW

MSI
Making Dream Surfaces Attainable

ACCESSORIES


Moldings

Shaker Crown Molding




SCM2.25 /
CABASCM2.25W

Shaker Crown Molding




SCM3.5 / CABASCM3.5W

Shaker Crown Molding w Heel




SCM2.25-HEEL /
CABASCM2.25-HEELW

Shaker Crown Molding w Heel



SCM3.6-HEEL /
CABASCM3.6-HEELW


Roll Out Tray



ROT24 / CABAROT24
ROT27 / CABAROT27
ROT30 / CABAROT30
ROT33 / CABAROT33
ROT36 / CABAROT36

*1pair of glides included

Knee Drawer



KD24 / CABAKD24W
KD30 / CABAKD30W
KD36 / CABAKD36W

* Assembled package – 1set of Glides included

Maintenance & Care

General Guidelines

- ✓ **Keep Surfaces Dry**: Always ensure cabinet surfaces remain dry. Immediately dry any spills or moisture using a soft, lint-free cotton cloth.
- ✓ **Avoid Harsh Cleaners:** Do not use ammonia-based cleaners, dyed soaps, or harsh detergents, as their residues can damage cabinet finishes.
- ✓ **Protect Against Environmental Damage:** Rapid temperature changes and excessive moisture can harm the cabinet's finish and structural integrity.

Basic Cleaning Instructions

- ✓ **Initial and Post-Installation Cleaning:** Use a soft, lint-free cotton cloth to wipe down all exterior and interior cabinet surfaces to remove dust.
- ✓ **Routine Cleaning:** Dampen a soft, lint-free cotton cloth with a mild detergent or soap mixed with warm water. Use a blotting motion rather than wiping for optimal results.
- ✓ **Spill Management:** Immediately wipe up food spills or water spots with a lint-free cotton cloth to prevent moisture absorption into the cabinet surfaces.
- ✓ **Prevent Seepage:** Avoid excess cleaner seeping into cabinet joints.

Cleaning Glass Door Inserts

- ✓ **Recommended Method:** Use a household glass cleaner applied to a soft, clean cloth (not directly on the glass or mirror).
- ✓ **Ammonia Precaution:** Never use ammonia at full strength.

Basic Care and Practices to Avoid:

- ✓ **Cleaner Suitability**: If unsure about a cleaner's compatibility, avoid using it.
- ✓ **Prohibited Tools:** Never use scouring pads, steel wool, wire brushes, or powdered cleansers, as they can scratch or damage surfaces.
- ✓ **Avoid Prolonged Moisture Exposure:** Do not leave moistened cloths on cabinet surfaces for extended periods.
- ✓ **Protect Against Water Damage:** Regularly inspect areas near sinks and dishwashers to ensure water or detergents do not dry on cabinet surfaces.
- ✓ **Avoid Wet Towels:** Do not drape wet or damp dish towels over base cabinet doors.
- ✓ **No Towel Racks on Doors:** Avoid attaching towel racks to the interior of cabinet doors.
- ✓ **Prevent Heat/Steam Damage:** Position small kitchen appliances to avoid directing heat or steam onto cabinet surfaces.
- ✓ **Protect Against Ink Transfer:** Do not leave newspapers, magazines, or other printed materials on cabinet surfaces, as ink may bleed into the finish.

WARRANTY

LIMITED LIFETIME WARRANTY

Product Collection: MSI Cabinetry
Product Type: Cabinets & Vanities

Effective Date of Warranty: Date of original purchase (proof of purchase required)

Warranty Coverage
MSI warrants that its cabinetry is free from defects in materials and workmanship under normal residential use, starting from the original purchase date. A defect is defined as a shortfall in the product to perform to specifications.

This Limited Lifetime Warranty applies only to the original purchaser and resident of the home where the cabinetry is installed. It is non-transferable and valid only for the original installation location.

Door Hinges & Drawer Glide Systems: warranted for **1 year** from the original purchase date under normal residential use.
Replacement Coverage: Warranty for replacement cabinetry is limited to the remaining duration of the original warranty period.

What is NOT Covered
This warranty does not cover the following (this list is not exhaustive):

- ✓ **Improper Installation:** Defects from failure to follow MSI's Installation Instructions or poor installer workmanship.
- ✓ **Labor Costs:** Costs associated with installation, removal, or repair are not covered.
- ✓ **Improper Maintenance:** Damage due to failure to follow MSI's Care & Maintenance Guidelines.
- ✓ **Chemical or Environmental Damage:** Damage from detergents, chemicals, paints, food stains, oils, dyes. Environmental factors including, but not limited to, 1) temperature and humidity changes; 2) excessive heat or cold and dryness or moisture, or the lack thereof; 3) prolonged exposure to any and all types of light sources, smokes, and household chemicals. 4) the aging of natural solid wood; and/or 5) normal wear and tear, accidents, or acts of God. These are considered natural occurrences and not defects in material and workmanship.
- ✓ **Accidents & Abuse:** Damage from misuse, storage, transportation, mishandling, pet damage (e.g., claws or teeth, urine), impact from heavy and sharp objects.
- ✓ **Normal Wear & Natural Wood Variations:** Texture, color, or grain changes over time; mitered door joint gaps due to humidity; Painted face frames and other painted products may eventually have visible cracking around the joint areas (contraction or expansion of wood); fading or discoloration from smoke, cooking, or light exposure.
- ✓ **Construction Issues:** Damage from leaks, jobsite conditioning errors, or installation-related mistakes.
- ✓ **Non-Standard Use:** Bending, curving, external use, or commercial applications.
- ✓ **Pre-Installation Defects:** Visible defects or nonconformities not reported before installation.

If the product fails to perform as stated in the warranty, the manufacturer reserves the right to have the product inspected by an inspector. Should the product be determined to be defective, manufacturer reserves the right to either repair or replace the defective area with the same color, design, and grade product, if available. If the product is unavailable or discontinued, manufacturer reserves the right to select and supply similar material.

If repairs or replacement of a section are deemed necessary, all items must be cleared from the affected area subsequent to the original installation. The cost associated with the removal of those items will not be credited or reimbursed.
Product costs will be covered for the length of the warranty.
Warranty coverage for the replacement cabinetry is limited to the remaining portion of the original warranty.
Cabinetry is not intended for external or commercial use; such applications are not covered under this warranty.

Failure to follow these procedures may result in voiding some or all of the warranty. This limited warranty is non-transferable and extends only to the original end user. Please note: Some jurisdictions do not allow exclusion or limitation of incidental or consequential damage or limitations on how long an implied warranty lasts, so the above limitation and exclusion may not apply to you.

WARRANTY

MSI disclaims any and all other warranties, express or implied, including but not limited to, warranties of merchantability or fitness for a particular purpose.

Cabinets are made of natural wood and may vary over time in texture, color or wood grain, and exhibit subtle changes over time. All material should be inspected prior to installation. Visual defects or nonconformities apparent prior to installation will void this warranty. All warranty claims must be reported immediately. Failure to report the warranty claim within 30 days of defect discovery will void this warranty.

Warranties are only applicable to products used in residential applications within the United States of America and Canada and are not transferable to subsequent owners.

MSI's liability under any theory of liability (whether contract, tort, strict liability or otherwise) shall be limited to the sole and exclusive remedy of replacement of defective goods FOB MSI facility or, at MSI's option, refund of the purchase price of such defective goods. If product is unavailable or discontinued, MSI reserves the right to select and supply similar material. The warranty does not cover all other costs, incidental and consequential damage including loss of use of the property.

Product may be returned to MSI with 20% restocking fee if the following criteria is met:
The product is not assembled (flat pack only)
The return is initiated within 60 days of receipt of the product
The product is not damaged and is in original packaging
The product has not been discontinued

Changes or cancellations must be made within 2 hours of approving an order. Once an order has been processed, the order is final. Changes after this timeframe may be subject to a $100 change fee. Cancellations requested after the order has been processed are subject to a 20% restocking fee.

All changes or cancellations requested must be made in writing. If additional charges are required, a second deposit will be processed

Buyer acknowledges and agrees that the foregoing conditions and limitations are an essential basis for Buyers agreement with MSI. Any suit or other legal action that the Buyer may bring against MSI arising out the sale of this cabinetry must be filed within 14 days from the date of MSI's alleged breach. Buyer's failure to file within this stipulated period shall be deemed to act as waiver and time bar for any and all claims against M S International Inc.

This warranty gives you specific rights and you may also have other rights, which vary from state to state.

For additional information about this product collection, please refer to www.msisurfaces.com or contact the dealer.

All inquiries concerning the above may be sent to:
M S International Inc,
2095 N Batavia St,
Orange, CA. 92865